

### 武汉天德生物科技有限公司 Wuhan Tanda Biotechnology Co., Ltd

#### Recombinant Interleukin 6 (IL6)

Catalog No.: TD-TP02601 50µg

**Sequence Information** 

Species: Human Gene ID:3569

Swiss Prot:P05231 Synonyms:MGI2-A; MGI2A; HGF; BSF2; HSF;

IFNB2; B-Cell Stimulatory Factor-2;

Hybridoma/Plasmacytoma Growth

Factor; Hepatocyte Stimulating Factor;

Cytotoxic T-Cell Differentiation Factor

Residues: Pro29~Met212

PVPPGEDSKDVAAPHRQPLTSSERIDKQIRYILDGISALRKETCNKSNMCESSK

EALAENNLNLPKMAEKDGCFQSGFNEETCLVKIITGLLEFEVYLEYLQNRFESS

EEQARAVQMSTKVLIQFLQKKAKNLDAITTPDPTTNASLLTKLQAQNQWLQDMT

THLILRSFKEFLQSSLRALRQ

**Product Information** 

Source: Prokaryotic expression.

Host: E. coli

Tags: N-terminal GST Tag

Subcellular Location: Secreted.

**Purity: >95%** 

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.1% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 6.0
Predicted Molecular Mass: 46.9kDa

Accurate Molecular Mass: 47kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH<sub>2</sub>O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles

## 武汉天德生物科技有限公司 Wuhan Tanda Biotechnology Co., Ltd

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

**Stability Test:** The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

### [ IDENTIFICATION ]




Figure 1. Gene Sequencing (Extract)




Figure 2. SDS-PAGE



# 武汉天德生物科技有限公司 Wuhan Tanda Biotechnology Co., Ltd

## [ IMPORTANT NOTE ]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.