

武汉天德生物科技有限公司 Wuhan Tanda Biotechnology Co., Ltd

Recombinant Cluster Of Differentiation 40 Ligand (CD40L)

Catalog No.: TD-TP01516 50µg

Sequence Information

Species: Human Gene ID:959

Swiss Prot:P29965 Synonyms:CD154; TRAP; HIGM1; IGM; IMD3;

TBAM; T-BAM; TNFSF5; Gp39; TNF

Superfamily Member 5; Hyper-IgM

Syndrome; TNF-Related Activation

Protein; T-Cell B-Cell Activating

Molecule

Residues: Met1~Leu261

 ${\tt MIETYNQTSPRSAATGLPISMKIFMYLLTVFLITQMIGSALFAVYLHRRLDKIE}$

DERNLHEDFVFMKTIQRCNTGERSLSLLNCEEIKSQFEGFVKDIMLNKEETKKE

NSFEMQKGDQNPQIAAHVISEASSKTTSVLQWAEKGYYTMSNNLVTLENGKQLT

VKRQGLYYIYAQVTFCSNREASSQAPFIASLCLKSPGRFERILLRAANTHSSAK

PCGQQSIHLGGVFELQPGASVFVNVTDPSQVSHGTGFTSFGLLKL

Product Information

Source: Prokaryotic expression.

Host: E. coli

Tags:N-terminal His and GST Tag
Subcellular Location: Nucleus.

Purity: >90%

Traits: Freeze-dried powder

Buffer formulation:PBS, pH7.4, containing 0.1% SKL, 5% Trehalose.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 7.0

Predicted Molecular Mass: 59.3kDa

Accurate Molecular Mass: 60kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

武汉天德生物科技有限公司 Wuhan Tanda Biotechnology Co., Ltd

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.



武汉天德生物科技有限公司 Wuhan Tanda Biotechnology Co., Ltd

