

Eukaryotic Cluster Of Differentiation 8a (CD8a)

Catalog No.: TD-TP06687 50µg

Sequence Information

Species: Mouse

Gene ID:12525

Swiss Prot:P01731

Synonyms:p32; CD8-A; Leu2; MAL; T-cell
surface glycoprotein CD8 alpha chain;
T-lymphocyte differentiation antigen
T8/Leu-2

Residues:Lys28~Tyr196

KPQAPELRIFPKKMDAELGQKVDLVCEVLGVSQGC SWL FQNSSSKLPQPTFVV
YMASSHNKITWDEKLNSSKLF SAMRDTNNKYVLT LNKFSKENEGYYFCSVISNS
VMYFSSVWPVLQKVNSTTTKPVLRTPSPVHPTGTSQPQRPEDCRPRGSKVGTGL
DFACDIY

Product Information

Source: Eukaryotic expression.

Host: 293F cell

Tags: N-terminal His-Tag

Subcellular Location: Secreted.

Purity: >90%

Traits: Freeze-dried powder

Buffer formulation: PBS, pH7.4, containing 0.01% SKL, 1mM DTT, 5% Trehalose and Proclin300.

Original Concentration: 200µg/mL

Applications: Positive Control; Immunogen; SDS-PAGE; WB.

(May be suitable for use in other assays to be determined by the end user.)

Predicted isoelectric point: 9.2

Predicted Molecular Mass: 20.5kDa

Accurate Molecular Mass: 20kDa as determined by SDS-PAGE reducing conditions.

[USAGE]

Reconstitute in ddH₂O to a concentration of 0.1-0.5 mg/mL. Do not vortex.

[STORAGE AND STABILITY]

Storage: Avoid repeated freeze/thaw cycles.

电话: 027-87561633 手机: 189-8623-2100

QQ客服: 121545059 网址: <http://www.itiande-neuron.com>

公司地址: 武汉东湖新技术开发区高新大道666号光谷生物城生物创新园B1栋b274-9室

Store at 2-8°C for one month.

Aliquot and store at -80°C for 12 months.

Stability Test: The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.

[IDENTIFICATION]




Figure 1. SDS-PAGE

[IMPORTANT NOTE]

The kit is designed for in vitro and research use only, we will not be responsible for any issue if the kit was used in clinical diagnostic or any other procedures.